2021L024A1EL



Coimisiún na Scrúduithe Stáit State Examinations Commission

Leaving Certificate Examination 2021 Agricultural Science

Higher Level

Monday 21 June Afternoon 2:00 – 4:30

Examination Number	
Day and Month of Birth	For example, 3rd February is entered as 0302
Centre Stamp	

The 2021 examination papers were adjusted to compensate for disruptions to learning due to COVID-19. This examination paper does not necessarily reflect the same structure and format as the examination papers of past or subsequent years.

Instructions

There are **two** sections to this examination.

It is recommended that you spend about 50 minutes on Section A and 100 minutes on Section B.

Section **A** Answer any **seven** questions from this section. There is internal choice in **four** questions. Each question carries 10 marks.

Section **B** Answer any **three** questions from this section. There is internal choice in **two** questions. Each question carries 50 marks.

Write your Examination Number and your Day and Month of Birth in the boxes on the front cover.

Write your answers in blue or black pen. You may use pencil for sketches, graphs and diagrams only.

Write your answers in the spaces provided to all parts of the examination into this answerbook. You are not required to use all the space provided.

There is extra space at the end of Section **A** and at the back of the booklet. Label any extra work clearly with the question number and part.

Section A 70 marks

Answer any **seven** questions.

Each question carries 10 marks.

Question 1

(a) Identify each of the following plants.



A:			
B:			
C:			

(b) Using a named example, other than the plants shown at part (a) above, distinguish between annual and biennial lifecycles.

Herbicide resistance confirmed in wild oats

The wild oat is one of the most widely recognised weeds in Ireland's tillage fields. If left unchecked, this predominantly spring-germinating self-pollinating weed can substantially reduce crop yields due to its competitiveness.

Control of wild oats includes hand-rogueing, direct drilling, crop rotation and total herbicides. However, some growers report increasing control difficulties when using herbicides.



To investigate these reports further, Teagasc collected samples from six wild oat field populations that survived the use of the total herbicide. Teagasc found in all of the six cases the control of wild oats with these total herbicides did not work. This is extremely serious for future control of wild oats on these farms and it is vital to eliminate these weeds, or at least to contain these resistant weeds to the fields where they were found.

(Adapted from Farmers Journal, 2020)

(i)	Explain herbicide resistance.				
(ii)	State how direct drilling and crop rotation could control wild oats in a crop.				
Dir	ect drilling:				
Cro	Crop rotation:				
(iii)	Describe two reasons for the importance of controlling these herbicide resistant will oats in the future.				
1.					
2.					
-					

(b) A student wanted to investigate the capillarity in both a compacted soil and an uncompacted soil.



(i)	State a prediction for this investigation.		
(ii)	Describe a suitable method the student could use to carry out this investigation.		
(iii)	Identify one way the student could improve the accuracy of this investigation.		


Answer either (a) or (b).

- (a) The following is an example of a farm safety notice displayed at the entrance to a farm.
 - (i) State the meaning of symbols A and B on the sign.



A: B:


(ii) State the function of C and D.



C:
D:

(iii) In relation to picture **C** at part (ii) above, state **one** advantage of using this piece of equipment to enhance sustainability of the farm.

(b) (i) Identify the farm machines, labelled A and B, which are attached to each tractor.





A:	
B:	
(ii)	The tractor in picture A is fitted with two tracks instead of four wheels. Suggest one advantage of using a tractor fitted with tracks.
(iii)	State one way machine A can enhance environmental sustainability.
(iv)	Outline one disadvantage of using machine (method) B when feeding high producing animals.

Study the photograph of the farm layout below and answer the questions which follow.



a)	Identify one way in which the farm in the photograph could become more energy efficient.
)	State two ways in which the farmyard is suited to economy of labour.
	1.
	2.
	2.

(c) Apart from your answer to part (a) above, suggest **two** ways in which the farmer could make the farmyard more environmentally sustainable.

1.
2.

In relation to a catch crop **or** energy crop you have studied answer the following questions. Name of chosen crop. Named crop: Describe **two** ways in which the production of your chosen crop contributes to sustainability. (a) 1. 2. (b) Describe the damage caused by a named pest to your chosen crop. Named pest: (c) Describe the first **two** growth cycle stages of your chosen crop. 1. 2.

Answer either (a) or (b).

(a) (i) Identify the part of the plant where respiration takes place by placing a tick (\checkmark) in the correct box.

Ribosome	
Mitochondria	
Chloroplast	



(ii) Outline **two** ways in which a farmer can increase airflow through soil to allow for increased respiration in the rhizosphere.

1.		
2.		

(iii) Describe two ways soil compaction impacts on the physical properties of soil.

1.		
2.		

(i)	Describe one role animal respiration plays in the carbon cycle.				
(ii)	Compare two effects of continuous tillage and permanent grassland on the soil organimatter content.				
1.					
2.					
(iii)	Suggest two ways a farmer could increase the amount of organic matter in soils.				
1.					
2.					

_	ulture depends on biodiversity. Explain biodiversity.
State or	ne reason why biodiversity is important on Irish farms.
Outline	three ways in which farmers can increase biodiversity on their farm.
1.	
I	
2.	
2.	
2.	

The following is a kill out sheet (lairage docket) for 2 Aberdeen Angus (AA) heifers and 2 Limousine (LM) heifers from John's farm. Analyse the sheet and answer the questions which follow.

Tag number	Breed	Sex	Age (months)	Conformation	Fat	Carcase Weight (kg)
217981261073	AA	E – Heifer	Under 24	0+	3+	308
235207471646	AA	E – Heifer	Under 24	R-	4-	321
215038714153	LM	E – Heifer	Under 24	R+	3+	367
214346622696	LM	E – Heifer	Under 24	U-	3+	385

214	1346622696	LM	E – Heifer	Under 24		U-	3+	385	
(a)	Briefly expl	ain the t	term conform	ation.					
(b)	As part of th	ne Bord I	Bia quality						
	=		eme John gets a 20c					Price (cent	
		kg for each animal in			U- 3+	R+ 3+	R- 4-	0+3+	
	addition to	the facto	ory base price.			395	395	380	375
	Calculate the obtained fo		mount John mber	Total amo	-	1597.75	?	1284.00	1216.60
	215038714	_							
	Total:								
	Total.								
(c)	spec cattle ((Conforn	nation U+, U=,	Angus produce U-, R+, R=, R-, (oney to John, t	O+, O=	and fat clas	ss 2+, 3,	4-, 4=). Cald	culate
	Calculatio	n:							
	Heifers:								


Que	stion 9
(a)	Explain genomic selection.
(b)	Outline two advantages of using genomically selected animals in a named animal enterprise
	Named animal enterprise:
	1.
	2.
(c)	Describe how farmers have made genetic improvements in their animal enterprise based on physical traits of their animals.
(d)	Antibiotic resistance is a consequence of evolution via natural selection. Farmers have a major role to play in reducing the rise in antimicrobial resistance. Discuss one way in which farmers can reduce the need for antibiotic use on their farms.

(c)


The Murphy family operate one of Ireland's sheep dairy farms in Co. Galway. They produce artisan products for a niche market. Their produce is available in approximately 50 shops and in some of Ireland's top restaurants.



	two reasons why she	ep dairy farmin	g is suited to Ir	eland.	
Suggest 1.	two reasons why she	eep dairy farmin	g is suited to Ir	eland.	



Compare the composition of sheep's milk



(Adapted from Nutritionbridge, 2020)

Λ.		11
OI	Jestion	11

Answer either (a) or (b).

(i)	Distinguish between the duration of oestrus and the oestrous cycle in cattle.
(ii)	Identify the part of the female reproductive system where ovulation occurs.
(iii)	Describe two advantages of artificial insemination (AI) in cattle or sheep or pigs.
Nar	ne of animal:
1.	
1.	
2.	

(i)	Outline two differences between the monogastric and ruminant digestive systems.
1.	
2.	
(ii)	Briefly describe a named disorder of the ruminant digestive system under the following headings.
Nar	med disorder:
Syn	nptoms:
Tre	atment:
Pre	vention:

(b)

The manager of a 250 sow integrated pig unit was alerted that some of his young bonhams (piglets) were ill. On inspection of the bonhams, he noticed that they were breathing quickly, weak, had a scour and their skin was pale.



State the cau	se of the identified disease.
Suggest how	these bonhams could be treated for this disease.
Describe two	biosecurity practices carried out on Irish pig farms.
Describe two	biosecurity practices carried out on Irish pig farms.
	biosecurity practices carried out on Irish pig farms.
	biosecurity practices carried out on Irish pig farms.
	biosecurity practices carried out on Irish pig farms.
	biosecurity practices carried out on Irish pig farms.
1.	biosecurity practices carried out on Irish pig farms.

Additional writing space for **Section A**. Label all work clearly with the question number and part.

_	
I	
l	
l	
ı	

_

Section B 150 marks

Answer any three questions.

Each question carries 50 marks.

Question 13

Answer (a) with either (b) or (c).

(a) Read the article about multi-species swards and answer the questions which follow.

UCD trials indicate increased ewe milk production and lamb weight gain in flocks grazing multi-species swards

The definition of multi-species, is a mixture composed of two or more species, consisting of grasses (e.g. perennial ryegrass and timothy), herbs (e.g. chicory and plantain) and legumes (e.g. white and red clover) used in grazing mixtures. The different species bring a range of benefits to the sward.

The main challenges with multi-species swards include ensuring persistency of the herbs and to a lesser extent, the legumes in the sward. Blanket herbicide application is not possible post-emergence as any herbicide that will kill broadleaf weeds will also kill the herbs, and finally establishment can be challenging particularly in the autumn.

(Adapted from Irish Independent, 2020)

(i)	Identify one plant named in the article that can fix atmospheric nitrogen.				
(ii)	Outline two management practices farmers could employ to overcome the challenges of growing multi-species swards.				
1.					
2.					
(iii)	Name one grazing system that could be applied to a multi-species sward and outline two advantages of the named grazing system in managing the sward.				
Na	me:				
1.					
2.					

(iv)	You are asked to address a group of farmers who are thinking about sowing a multi-species sward on their farm. Providing evidence from the article and with your own knowledge, construct an argument convincing them why it would be good to sow a multi-species sward on their farm. Your plan should include at least four specific benefits.

composition of the multi-species sward described in the article.

(v) Describe an investigation a student could carryout to determine the botanical

	y explain the role of each of the following in the nitrogen cycle.
Nit	robacter:
Nit	rosomonas:
De	nitrification:
	Or
Eval	
	ate the impact of three different crop management practices on all animals living in the
farm	ate the impact of three different crop management practices on all animals living in the secosystem.
farm	
farm	
farm	
farm	
1.	
1.	
1.	
1. 2.	
1.	
1. 2.	
1. 2.	

Compare two different systems of animal production for a chosen livestock enterprise under the following headings at an identified stage in the animal's production cycle. 2. 1. Name of production system Identified stage of production cycle Housing: Nutrition: Production targets:

(i) Identify each of the following cattle and sheep breeds. В A: B: C: D: (ii) In relation to **two** named breeds of pig **or** horse **or** poultry that you have studied, compare **two** characteristics of each breed which make them suitable for intensive production. 1. 2. Name of breed 1. 2. (iii) Discuss two factors that are taken into account when considering the welfare of calves in a calf to beef enterprise from birth to weaning. 1. 2.

(b)

(c) The following is a Beef HealthCheck report. The report is to assist farmers and their veterinary practitioners to control losses due to liver fluke and pneumonia through capture, analysis and reporting of abattoir data from post mortem meat inspections.

Analyse and interpret the report and answer the questions that follow.

	Beef HealthCheck Report				
Liver results		Lung Results			
Live	r lesions result in reduced performance	Lung l	esions result in reduced performance		
Score		Score			
1	Normal liver: No liver abnormalities detected.	1	Normal lung: No lung abnormalities detected.		
2	Liver damage by fluke but no live fluke: Fluke may not be observed because the animal was (i) treated and cured, (ii) has undergone 'self - cure' or (iii) live fluke may have been present but not observed.	2	Limited lung damage: This animal had limited lung damage as a result of pneumonia (viral / bacterial infection).		
3	Liver damage by fluke and live fluke: Fluke may be present because the animal was (i) not treated, (ii) re-infected after a previous treatment, (iii) treated with a product that only kills adult fluke, leaving young fluke alive, (iv) given a product to which the fluke have become resistant.	3	Extensive lung damage: This animal had extensive lung damage as a result of pneumonia (viral / bacterial infection).		
4	<u>Liver other:</u> Liver damage due to other causes, e.g. tumours.	4	Lung other: Lung damage due to other causes, e.g. abscess or tumour.		
5	Liver abscess: may occur following gut damage from a high grain diet or as an infection from a 'navel ill' or other infection.				

Beef HealthCheck Report					
Tag	Sex	Age (months)	Carcase (kg)	Liver Score	Lung Score
IE 1234567-8-0001	Е	20	330	1	3
IE 1234567-8-0002	С	22	360	3/5	1
IE 1234567-8-0003	D	40	400	2	1
IE 1234567-8-0004	В	44	500	1	2
IE 1234567-8-0005	Е	19	340	3	1
IE 1234567-8-0006	С	20	350	2	4
IE 1234567-8-0007	D	56	410	4	1

A = young bull B = bull C = steer D = cow E = heifer

(Adapted from Animal Health Ireland, 2019)

(i)	Determine the liver score for the farmer's 22 month old steer and state one conclusion you can make about the liver health of the steer based on the liver score.
Liv	ver score:
Со	nclusion:
(ii)	Determine the lung score for the 20 month old heifer and state one conclusion you can make about the lung health of the heifer based on the lung score.
Lu	ng score:
Со	nclusion:
(iii)	Comment briefly on the overall health of the seven animals based on the report.

1	Provide three recommendations for the farmer.
1.	
2.	
3.	

(iv) Using evidence from this report construct an animal health plan for the farm in relation to future dosing, vaccinations and prevention of these diseases.

(a) A student carried out an investigation to compare how application rates and source of organic fertiliser in autumn will affect grass dry matter (DM), earthworm population and spring soil nutrient availability in the hope of increasing food production, in-line with *Foodwise 2025*.




proc	duction, in-line with <i>Foodwise 2025</i> . Food Wise 2025
(i)	State a hypothesis for this investigation.
(ii)	Identify the independent and dependent variables in this investigation.
(iii)	Describe two ways a farmer could spread slurry while reducing the impact on the environment.
1.	
2.	

	Describe a method the student could have used to carry out this investigation.
(v)	List one systematic error that could have occurred when the student was carrying out this investigation.

(iv) The student determined the % DM of the grass.

(b) The following is a graph of the student's results showing the total available dry matter (DM) over a five month period following the application of the organic fertiliser in the autumn. Analyse the graph and answer the questions which follow.



(i)	Identify which treatment is the most beneficial organic fertiliser for a steady supply of
	herbage over the five month period.

(ii) Calculate the increase in kg DM / ha of herbage over the five month period for the treatment you have identified at part (i) above compared to the increase in the control treatment.

Most beneficial treatment calculations	Control treatment calculations

(iv) Using the findings of the students investigation over the five month period, discuss what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 2. 3.		late February. Using evidence from the data, outline the advice you would give him ir relation to the source and application rates of organic fertiliser.			
what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 1. 2.					
what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 1. 2.					
what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 1. 2.					
what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 1. 2.					
what advice you would give the farmer in relation to the source and application rates of these organic fertilisers. Your advice should include at least three specific recommendations. 1. 2.					
2.	(iv)	what advice you would give the farmer in relation to the source and application rates of these organic fertilisers.			
	1.				
3.	2.				
3.					
3.					
3.					
3.					
	3.				

(iii) A beef farmer wants to have early spring grass for his spring calving herd to turnout in

Answer both (a) and (b) with either (c) or (d).

(a) Two dairy farmers (Dan and Joe) are comparing the amount of money they are getting paid for their milk. Analyse the data in the table and answer the questions which follow.



	Dan	Joe
Supply (litres, kg)	50,000 L (51,500 kg)	50,000 L (51,500 kg)
Protein A = €5.48 / kg	3.5 %	3.3 %
	1,803 kg	1,700 kg
	,	€9,316
Fat B = €3.35 / kg	4.45 %	3.96 %
	2,292 kg	2,039 kg
	?	€6,830
Processing cost deduction C = €0.04 / litre	€2,000	€2,000

(Adapted from Agriland, 2019)

(i) Calculate which farmer (Dan or Joe) earns a higher price for their milk.

E	arns higher price:
(ii)	Describe two ways a farmer could increase the % fat and protein content of their milk.
1.	•
2.	•

Calculation:

(iii) Joe received his monthly statement on milk quality and noticed that his total bacterial count (TBC) and somatic cell count (SCC) were higher than anticipated. Construct a plan for the advice you would give Joe in order to reduce the TBC and SCC levels in his milk in order to achieve the best quality milk. Your plan should include at least **three** specific recommendations.

Milk quality parameters	Joe's farm bulk sample results for 5/11/2020	Creamery advice	
	75 000 ef., /	51,000 – 100,000 cfu / ml	
ТВС	75,000 cfu / ml (cfu – colony forming unit)	Fair milk quality – bacteria present – investigate the cause	
	(ora colony forming arms)	and address the issues.	
		300,000 – 400,000 cells / ml	
SCC	320,000 cells / ml	Unstable control of mastitis and	
		SCC. Review mastitis control.	

1.			
2.			
3.			

Labelled diagram:		boratory or on his		
Labelled diagram:				
Labelled diagram:		-		
Labelled diagram:				
	Labelled di	iagram:		

(c) Read the article on 'Sustainable Dairy Production in Europe' and answer the questions which follow.

Sustainable Dairy Production in Europe



The European Union's top priorities include at least a 40% reduction of the emission of greenhouse gases (GHGs) from 1990 levels, 27% improvement in energy efficiency and 27% share of renewable energy by 2030.


In Ireland, the Irish dairy sector acknowledges that sustainable development and climate change are pressing

challenges that must be acted on and is committed to continuing to contribute to solving these issues while exporting our produce to over 155 countries worldwide.

	(Adapted from Sustainable Dairy in Europe, 2019,
(i)	Outline how the European Union would achieve their top priorities.
(ii)	In relation to our export markets, state one reason why it is important for the dairy industry to ensure sustainable development.
(iii)	Outline two characteristics of Irish food composition based on grass-fed animals.
1.	
2.	
(iv)	Discuss two management practices farmers can employ to ensure quality, safe and traceable food for the consumer.
1.	
2.	

Or

- (d) The application of technology in Agriculture is increasing. Virtual fencing (VF) is one such technology; it enables the confinement or movement of animals without the use of fixed fencing. The VF system requires that the animals wear a Global Positioning System (GPS) collar which emits an audio warning when the animals approach the VF boundaries.
 - (i) Outline **two** advantages of using virtual fencing on farms.



(Adapted from onpasture.com, 2018)

1.	
2.	
(ii)	List one disadvantage of using virtual fencing on Irish farms.
(iii)	Describe two grassland management practices which should be employed to ensure beef cattle reach their target liveweight gain in their second summer.
1.	
2.	
(iv)	State one safety consideration farmers should take during grassland management practices.

Question 17

(a) Soil sampling for analysis is important to determine soil index and fertiliser requirements.

Outline **two** procedures to be followed when taking soil samples for analysis.

1.			
2.			



(b) Below is a soil index reference sheet and two sets of soil sample results. Analyse the tables of results and answer the questions that follow.

Sample No: 554115	Fi	Field 1 – Permanent pasture (mainly silage production)								
Test Parameters	Result	Very Low	Low	Normal	High	Target Value	Response to Fertiliser	Fertiliser Recommendations		
рН	5.3					6.5 – 7.5				
Lime Requirement t/ha	5.2									
Phosphorus (P) mg/l	1.77					8.00	Definite	39 kg/ha P		
Potassium (K) mg/l	28.4					150	Definite	85 kg/ha K		

Sample No: 554116		Field 2 – Permanent pasture (main grazing block)							
Test Parameters	Result	Very Low	Low	Normal	High	Target Value	Response to Fertiliser	Fertiliser Recommendations	
рН	6					6.5 – 7.5			
Lime Requirement t/ha	3.75								
Phosphorus (P) mg/l	6.42					8.00	Unlikely	19 kg/ha P	
Potassium (K) mg/l	157				—	150	None	0 kg/ha K	

(i) Determine the P and K soil indexes for field 2.

Nutrient	Field 2
Р	
К	



Reference Soil Index							
Soil	Description	Response to fertilisers	Soil test range for each index (mg/l)				
Index			Р	K			
1	Very low	Definite	0 – 3.0	0 - 50			
2	Low	Likely	3.1 – 5.0	51 - 100			
3	Medium	Unlikely	5.1 – 8.0	101 – 150			
4	High	None	≥ 8.1	≥ 151			

(ii)	Suggest one reason why the P and K indexes in field 1 are very different to the P and K indexes for field 2.
(iii)	Discuss the implications for the farmer of the low pH in field 1 in relation to liming and the uptake of nutrients.

	macronutrients and state their role in plant growth.
1.	
Re	ason:
2.	
Re	ason:
(v)	Outline two ways in which farmers can increase the K levels on their land.
1.	
2.	
(vi)	Briefly describe two ways a farmer can prevent P leaching from the soil and potentially damaging water quality.
1.	
2.	

(iv) Some macronutrients do not appear on the table. Identify any two other

	student would ir			7 0. 0. 00	
		_			
_					
abelled diagr	 am·				
asenea arag.					

Cation exchange capacity (CEC) is a useful indicator of soil fertility.


(c)

Question 18

Discuss the effect of each of the following on the productivity of a named crop, giving two points for each heading. Named Crop: Soil quality: 1. 2. Crop preservation: 1. 2. (b) A mixed tillage and dairy farmer in County Meath plans on increasing her dairy herd from 85 cows to 120 cows. Discuss **three** challenges she will face in relation to sustainable intensification. 1. 2.

3.		

(c) Analyse the graph showing the lactation period of a dairy cow and answer the questions which follow.



(Adapted from Shauman, 2015)

(i)	Explain what is the drying off period.
(ii)	Outline one reason for the negative energy balance in early lactation.

(111)	Suggest two ways a farmer could limit the negative energy balance in early lactation.
1.	
2.	
(iv)	State one implication for the breeding season if the cows are still in negative energy balance.
(v)	As the cows move to mid lactation their energy balance requirement switches to excess energy. Describe the feeding regime that you would implement at this stage, commenting on the feed type and level of concentrates.
(vi)	State the length of the lactation period (in days).
(vii)	Briefly describe two methods of heat detection used on Irish farms.
1.	
2.	

Additional writing space for **Section B**. Label all work clearly with the question number and part.

Acknowledgements

Images

Images on page 3 irishwildflowers.ie; pixabay.com

Image on page 4 farmersjournal.ie Image on page 5 pixabay.com

Images on page 6 safetysignsireland.ie; iherdman.com; spaldings.co.uk

Images on page 7 zerograzer.ie; fginsight.com

Image on page 8 teagasc.ie
Image on page 10 pixabay.com

Images on page 15 agronigeria.ng; nutritionbridge.com

Image on page 18 checinternational.org

Image on page 22 independent.ie

Images on page 27 suffolksheep.org; texel.uk; irishshorthorn.com; britishblue.org

Image on page 31 foodwise.ie

Images on page 35 medium.com; agriland.ie

Image on page 38 farmersjournal.ie Image on page 39 onpasture.com Image on page 40 teagasc.ie

Image on page 41 googlemaps.com
Image on page 45 shaumann.info

Texts

Text on page 4 Herbicide Resistance Confirmed in Wild Oats.

https://www.farmersjournal.ie/herbicide-resistance-confirmed-in-wild-

oats-578319> - (21 October, 2020).

Text on page 22 UCD Trials indicate increased ewe milk production and lamb weight gain in


flocks grazing multi-species swards.

https://www.independent.ie/business/farming/agri-business/ucd-trials-indicate-increased-ewe-milk-production-and-lamb-weight-gain-in-flocks-

grazing-multi-species-swards-39287377.html> (16 June, 2020).

Text on page 38 Kavanagh, Zoe. Sustainable Dairy in Europe. < https://ndc.ie/wp-

content/uploads/2019/06/FINAL-fact-book.pdf> (June, 2019).



Copyright notice

This examination paper may contain text or images for which the State Examinations Commission is not the copyright owner, and which may have been adapted, for the purpose of assessment, without the authors' prior consent. This examination paper has been prepared in accordance with Section 53(5) of the Copyright and Related Rights Act, 2000. Any subsequent use for a purpose other than the intended purpose is not authorised. The Commission does not accept liability for any infringement of third-party rights arising from unauthorised distribution or use of this examination paper.

Leaving Certificate – Higher Level

Agricultural Science

Monday 21 June

Afternoon 2:00 - 4:30